FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A

PRINTER RANK SETTING				
EVENT	PRIORITY RANK			7~
TYPE OF APPLICATION	⇒	1	COLOR/MONO	
RESOLUTION	⇒	2	NO. OF COPIES	
	⇒	3	PAPER SIZE	
	⇒	4	ACTION FOR BUSY/ERROR	
	⇒	5		
	⇒	6		
	⇒	6	OK CANCEL	

FIG. 5B

PRINTER CONDITION SETTING
PRINTER A PRINTER A PRINTER A I © COLOR OMONO I NO. OF COPIES I-100 PRINTER C PRINTER D PRINTER E PRINTER F PRINTER G I WHEN BUSY PRINT BY PRINTER B ▼ APPLICATION doc,xls,.pm85 • I RESOLUTION 600dpi ▼
OK CANCEL

FIG. 6A

PRINT					
PRINTER —					
PRINTER NAME (N)	: VIRTUAL DRIVER	▼ PROPERTY (P)			
STATUS:	IDLING				
TYPE:		60a			
PLACE:	172.16.52.49:				
COMMENT:		OUTPUT TO FILE (L)			
PRINTING RANGE		PRINTING RANGE			
⊙ ALL (<u>A</u>)		NO. OF COPES (C): 1			
O PRESENT PAGE (☐ PRINT IN THE UNIT OF			
O SPECIFY PAGE (C		NO. OF COPIES (\underline{T})			
PAGE NUMBERS BY	GE BY SEPARATION				
AS OR SINKING	BY THE HYPHEN				
SUCH AS					
ODJECT OF DRINE (V	DOCLIMENT -	DDINE ODECHED (D) ALL DAGE			
OBJECT OF PRINT (V	V): [DOCOMENT V	PRINT SPECIFIED (R): ALL PAGE ♥			
OPTION		OK CANCEL			
		$6\overset{'}{0}$			
		00			
	PRINTER CONDITIO	ON SETTING			
	- PRINT SETTING				
	O COLOR OMONO				
	<u> </u>				
FIG. 6B	NO. OF COPIES $1-100$ ~ 61				
110.02	PAPER SIZE A4	▼ ⊙VERTICAL OLATERAL			
•	RESOLUTION 600	odpi ▽			
	RESOLUTION 1000	Jupi V			
		OK CANCEL			
	<u> </u>				
		•			
FIG. 6C					
	DDINTED CTATUS				
PRINTER STATUS INVESTIGATION OF PRINTER					
INVESTIGATION OF PRINTER 62a					
PRINTER STATUS		PRINTER STATUS			
PRINTER A BUSY S		PRINTER A IDLE, START OF 620			
INVESTIGATION OF PRINTER PRINTING					
<u> </u>					
PRINTER STATUS PRINTER STATUS					
UNABLE TO PRINT BECAUSE 62c END OF PRINTING 6					
PRINTER A AND PRINTER B					
ARE BUSY					

FIG. 7A

1	2	3	4	5
COLOR/ MONO	NO. OF COPIES	PAPER SIZE	ACTION OF BUSY (INCLUDING ERROR)	TYPE OF APPLICATION (FILE)

FIG. 7B

PRINTER A	1,[MONO]/2,[1-9]/3,[A4 OR LESS]/4,[TO PRINTER B]/5,[doc,txT,Xls]
PRINTER A	1,[MONO]/2,[10-9999]/3,[A3 OR LESS]/4,[TO PRINTER A]
PRINTER A	1,[COLOR]/5,[pm85]

FIG. 7C

CASE 1 PROPERTY SETTING 1,[MONO]/2,[12]/3,[A5]/4,[TO PRINTER A]	→SELECT PRINTER B →PRINTER B ERROR →PRINT BY PRINTER A
CASE 2 PROPERTY SETTING 1,[MONO]/2,[2]/3,[A4]/4,[TO PRINTER B]	→SELECT PRINTER A, →PRINTER A IDLING →PRINT BY PRINTER A
CASE 3 PROPERTY SETTING 1,[COLOR]	→PRINT BY PRINTER C
CASE 4 PROPERTY SETTING 5,[pm85]	→PRINT BY PRINTER C